

| 1 | | | 2 | | | | | 3 | | | | 4 | |
|---|-------------------|----|----|---|-----|----|----|---|-----|----|----|----|-----------------|
| A | CPK100K/M20-VA/VA | 48 | 16 | 5 | 100 | 13 | 85 | 7 | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPK100/M20-VA/VA | 48 | 16 | - | 100 | - | - | - | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPK80K/M20-VA/VA | 48 | 16 | 5 | 80 | 13 | 65 | 7 | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPK80/M20-VA/VA | 48 | 16 | - | 80 | - | - | - | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPK60K/M20-VA/VA | 48 | 16 | 5 | 60 | 13 | 45 | 7 | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPK60/M20-VA/VA | 48 | 16 | - | 60 | - | - | - | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPK50/M20-VA/VA | 48 | 16 | - | 50 | - | - | - | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPK40/M20-VA/VA | 48 | 16 | - | 40 | - | - | - | M20 | 27 | 17 | 30 | 21500N (2150kg) |
| | CPK30/M20-VA/VA | 48 | 16 | - | 30 | - | - | - | M20 | 27 | 17 | 30 | 10600N (1060kg) |
| B | CPK100K/M16-VA/VA | 42 | 15 | 5 | 100 | 13 | 85 | 7 | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPK100/M16-VA/VA | 42 | 15 | - | 100 | - | - | - | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPK80K/M16-VA/VA | 42 | 15 | 5 | 80 | 13 | 65 | 7 | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPK80/M16-VA/VA | 42 | 15 | - | 80 | - | - | - | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPK60K/M16-VA/VA | 42 | 15 | 5 | 60 | 13 | 45 | 7 | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPK60/M16-VA/VA | 42 | 15 | - | 60 | - | - | - | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPK50K/M16-VA/VA | 42 | 15 | 5 | 50 | 13 | 35 | 7 | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPK50/M16-VA/VA | 42 | 15 | - | 50 | - | - | - | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPK40/M16-VA/VA | 42 | 15 | - | 40 | - | - | - | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| C | CPK30/M16-VA/VA | 42 | 15 | - | 30 | - | - | - | M16 | 22 | 13 | 25 | 10600N (1060kg) |
| | CPK20/M16-VA/VA | 42 | 15 | - | 20 | - | - | - | M16 | 22 | 13 | 25 | 2750N (275kg) |
| | CPK100K/M14-VA/VA | 42 | 15 | 5 | 100 | 13 | 85 | 7 | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPK100/M14-VA/VA | 42 | 15 | - | 100 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPK80K/M14-VA/VA | 42 | 15 | 5 | 80 | 13 | 65 | 7 | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPK80/M14-VA/VA | 42 | 15 | - | 80 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPK60K/M14-VA/VA | 42 | 15 | 5 | 60 | 13 | 45 | 7 | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPK60/M14-VA/VA | 42 | 15 | - | 60 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPK50K/M14-VA/VA | 42 | 15 | 5 | 50 | 13 | 35 | 7 | M14 | 22 | 11 | 25 | 9800N (980kg) |
| D | CPK50/M14-VA/VA | 42 | 15 | - | 50 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPK40/M14-VA/VA | 42 | 15 | - | 40 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPK30/M14-VA/VA | 42 | 15 | - | 30 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPK20/M14-VA/VA | 42 | 15 | - | 20 | - | - | - | M14 | 22 | 11 | 25 | 2750N (275kg) |
| | CPK100K/M12-VA/VA | 42 | 14 | 5 | 100 | 13 | 85 | 7 | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPK100/M12-VA/VA | 42 | 14 | - | 100 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPK80K/M12-VA/VA | 42 | 14 | 5 | 80 | 13 | 65 | 7 | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPK80/M12-VA/VA | 42 | 14 | - | 80 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPK60K/M12-VA/VA | 42 | 14 | 5 | 60 | 13 | 45 | 7 | M12 | 22 | 10 | 25 | 6200N (620kg) |
| E | CPK60/M12-VA/VA | 42 | 14 | - | 60 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPK50K/M12-VA/VA | 42 | 14 | 5 | 50 | 13 | 35 | 7 | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPK50/M12-VA/VA | 42 | 14 | - | 50 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPK40/M12-VA/VA | 42 | 14 | - | 40 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPK30/M12-VA/VA | 42 | 14 | - | 30 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPK20/M12-VA/VA | 42 | 14 | - | 20 | - | - | - | M12 | 22 | 10 | 25 | 2750N (275kg) |
| | CPK100K/M10-VA/VA | 42 | 14 | 5 | 100 | 13 | 85 | 7 | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPK100/M10-VA/VA | 42 | 14 | - | 100 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPK80K/M10-VA/VA | 42 | 14 | 5 | 80 | 13 | 65 | 7 | M10 | 17 | 8 | 20 | 2100N (210kg) |
| F | CPK80/M10-VA/VA | 42 | 14 | - | 80 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPK60K/M10-VA/VA | 42 | 14 | 5 | 60 | 13 | 45 | 7 | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPK60/M10-VA/VA | 42 | 14 | - | 60 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPK50K/M10-VA/VA | 42 | 14 | 5 | 50 | 13 | 35 | 7 | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPK50/M10-VA/VA | 42 | 14 | - | 50 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPK40/M10-VA/VA | 42 | 14 | - | 40 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPK30/M10-VA/VA | 42 | 14 | - | 30 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPK20/M10-VA/VA | 42 | 14 | - | 20 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | OZNAČENÍ | A | B | C | D | E | F | G | M | S1 | S2 | DS | cena |


NOHA STAVITELNÁ - KRÁTKÁ M10-M20, PRO ČISTÉ PROSTORY

1

2

3

4



NOHA STAVITELNÁ - DLOUHÁ, PRO ČISTÉ PROSTORY

| 1 | | | 2 | | | | | 3 | | | | 4 | |
|---|-------------------|----|----|---|-----|----|----|---|-----|----|----|----|-----------------|
| A | CPD100K/M20-VA/VA | 88 | 16 | 5 | 100 | 13 | 85 | 7 | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPD100/M20-VA/VA | 88 | 16 | - | 100 | - | - | - | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPD80K/M20-VA/VA | 88 | 16 | 5 | 80 | 13 | 65 | 7 | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPD80/M20-VA/VA | 88 | 16 | - | 80 | - | - | - | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPD60K/M20-VA/VA | 88 | 16 | 5 | 60 | 13 | 45 | 7 | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPD60/M20-VA/VA | 88 | 16 | - | 60 | - | - | - | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPD50/M20-VA/VA | 88 | 16 | - | 50 | - | - | - | M20 | 27 | 17 | 30 | 28000N (2800kg) |
| | CPD40/M20-VA/VA | 88 | 16 | - | 40 | - | - | - | M20 | 27 | 17 | 30 | 21500N (2150kg) |
| | CPD30/M20-VA/VA | 88 | 16 | - | 30 | - | - | - | M20 | 27 | 17 | 30 | 10600N (1060kg) |
| B | CPD100K/M16-VA/VA | 82 | 15 | 5 | 100 | 13 | 85 | 7 | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPD100/M16-VA/VA | 82 | 15 | - | 100 | - | - | - | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPD80K/M16-VA/VA | 82 | 15 | 5 | 80 | 13 | 65 | 7 | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPD80/M16-VA/VA | 82 | 15 | - | 80 | - | - | - | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPD60K/M16-VA/VA | 82 | 15 | 5 | 60 | 13 | 45 | 7 | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPD60/M16-VA/VA | 82 | 15 | - | 60 | - | - | - | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPD50K/M16-VA/VA | 82 | 15 | 5 | 50 | 13 | 35 | 7 | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPD50/M16-VA/VA | 82 | 15 | - | 50 | - | - | - | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| | CPD40/M16-VA/VA | 82 | 15 | - | 40 | - | - | - | M16 | 22 | 13 | 25 | 15000N (1500kg) |
| C | CPD30/M16-VA/VA | 82 | 15 | - | 30 | - | - | - | M16 | 22 | 13 | 25 | 10600N (1060kg) |
| | CPD20/M16-VA/VA | 82 | 15 | - | 20 | - | - | - | M16 | 22 | 13 | 25 | 2750N (275kg) |
| | CPD100K/M14-VA/VA | 82 | 15 | 5 | 100 | 13 | 85 | 7 | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPD100/M14-VA/VA | 82 | 15 | - | 100 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPD80K/M14-VA/VA | 82 | 15 | 5 | 80 | 13 | 65 | 7 | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPD80/M14-VA/VA | 82 | 15 | - | 80 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPD60K/M14-VA/VA | 82 | 15 | 5 | 60 | 13 | 45 | 7 | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPD60/M14-VA/VA | 82 | 15 | - | 60 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPD50K/M14-VA/VA | 82 | 15 | 5 | 50 | 13 | 35 | 7 | M14 | 22 | 11 | 25 | 9800N (980kg) |
| D | CPD50/M14-VA/VA | 82 | 15 | - | 50 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPD40/M14-VA/VA | 82 | 15 | - | 40 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPD30/M14-VA/VA | 82 | 15 | - | 30 | - | - | - | M14 | 22 | 11 | 25 | 9800N (980kg) |
| | CPD20/M14-VA/VA | 82 | 15 | - | 20 | - | - | - | M14 | 22 | 11 | 25 | 2750N (275kg) |
| | CPD100K/M12-VA/VA | 82 | 14 | 5 | 100 | 13 | 85 | 7 | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPD100/M12-VA/VA | 82 | 14 | - | 100 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPD80K/M12-VA/VA | 82 | 14 | 5 | 80 | 13 | 65 | 7 | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPD80/M12-VA/VA | 82 | 14 | - | 80 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPD60K/M12-VA/VA | 82 | 14 | 5 | 60 | 13 | 45 | 7 | M12 | 22 | 10 | 25 | 6200N (620kg) |
| E | CPD60/M12-VA/VA | 82 | 14 | - | 60 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPD50K/M12-VA/VA | 82 | 14 | 5 | 50 | 13 | 35 | 7 | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPD50/M12-VA/VA | 82 | 14 | - | 50 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPD40/M12-VA/VA | 82 | 14 | - | 40 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPD30/M12-VA/VA | 82 | 14 | - | 30 | - | - | - | M12 | 22 | 10 | 25 | 6200N (620kg) |
| | CPD20/M12-VA/VA | 82 | 14 | - | 20 | - | - | - | M12 | 22 | 10 | 25 | 2750N (275kg) |
| | CPD100K/M10-VA/VA | 82 | 14 | 5 | 100 | 13 | 85 | 7 | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPD100/M10-VA/VA | 82 | 14 | - | 100 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPD80K/M10-VA/VA | 82 | 14 | 5 | 80 | 13 | 65 | 7 | M10 | 17 | 8 | 20 | 2100N (210kg) |
| F | CPD80/M10-VA/VA | 82 | 14 | - | 80 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPD60K/M10-VA/VA | 82 | 14 | 5 | 60 | 13 | 45 | 7 | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPD60/M10-VA/VA | 82 | 14 | - | 60 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPD50K/M10-VA/VA | 82 | 14 | 5 | 50 | 13 | 35 | 7 | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPD50/M10-VA/VA | 82 | 14 | - | 50 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPD40/M10-VA/VA | 82 | 14 | - | 40 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPD30/M10-VA/VA | 82 | 14 | - | 30 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | CPD20/M10-VA/VA | 82 | 14 | - | 20 | - | - | - | M10 | 17 | 8 | 20 | 2100N (210kg) |
| | OZNAČENÍ | A | B | C | D | E | F | G | M | S1 | S2 | DS | cena |

NOHA STAVITELNÁ - DLOUHÁ M10-M20, PRO ČISTÉ PROSTORY

1

2

3

4